



# Nokia N9 Battery Replacement

After following this guide, you can replace the...

Written By: knipwim



---

## INTRODUCTION


After following this guide, you can replace the battery of the Nokia N9.

---

### TOOLS:

- [T3 Torx Screwdriver](#) (1)
  - [T4 Torx Screwdriver](#) (1)
  - [iFixit Opening Tool](#) (1)
-

## Step 1 — remove top parts



- Click open the USB input protector lid and pull it from the housing.
- Also remove the SIM card holder.
- Remove screws from the top using the T3 torx screwdriver.

## Step 2 — loosen the screen




- Press your screwdriver against the backside of the white pieces of plastic, and the screen will click out at the top side of the phone.

### Step 3 — disconnect screen from phone





- Using a plastic tool, carefully open up the distance between the screen and the housing until the screen is only attached with 2 cables.
- With the same plastic tool, disconnect the screen cables still attached to the phone.
- The screen is now separated from the rest of the phone.

### Step 4 — remove screws




- Unscrew the marked screws using the T4 torx screwdriver.

## Step 5 — remove covering



- i You will see a strip holding the larger battery cover in place at one side.
- Rotate the strip a quarter turn along the long axis, and lift it out.
- Use the opening tool to lift the battery cover up and out.

## Step 6 — replace the battery



- Click open the battery connector from beneath the connector.
- Lift the battery from the phone and replace it.

To reassemble your device, follow these instructions in reverse order.