



# 2014 Mercedes C230 Front Parking Light Replacement

This guide will show how to replace a front parking light in a Mercedes c230K (2014) avoiding extra expenses by replacing it yourself.

Written By: Daniil Bendatii



## INTRODUCTION

Car lights are just like regular lights that we have in our homes and as we know they don't last forever. Over time, the filament (conducting wire) oxidizes and becomes more and more brittle, until it breaks apart and the light goes out. Due to cars being outside for the most part atmospheric conditions can shorten the lifespan of the lights in a car. Front parking lights are very important, they reduce the chance of cars crashing while parking by indicating that the car is in reverse and this guide will show how to replace a front parking light in a Mercedes c230K (2014) avoiding extra expenses by replacing it yourself.



### PARTS:

- [Front Parking Light](#) (1)
-

## Step 1 — Front Parking Light



- Turn off the car lights.

## Step 2



- Open the car hood by pulling the red lever placed under the light switch.



## Step 3



- Pull the lever outside of your car and open the hood.



## Step 4



- Press the clamp on one side of the light cover and pull it open.


**i** The light cover is located behind the car headlight.

## Step 5



- Pull the smaller lamp out. It has a grey wire attached to it.

## Step 6



- Pull out the old light bulb and replace it with the new one.



## Step 7



- Check if the light is working.

## Step 8



- Put the light cover back in place.

To reassemble your device, follow these instructions in reverse order.